"A DIGRAPH MODEL WITH PULSE PROCESS FOR DEVELOPING WATER SUPPLY MANAGEMENT SYSTEM IN THE STATE OF KERALA"

Santhosh S* Jayalekshmi.R Santhosh, SK***, and Ajayakrishnan.K. K.**
To whom correspondence should be sent: **Santhosh.S**, Department of Zoology,
*Dept.of Botany, NSS College, Pandalam, Pathanamthitta, Kerala. India.
*Department of Zoology, University College, Thiruvananthapuram, Kerala 695034, India.

ABSTRACT

Water is a highly valuable composite based on its essentiality and availability. Distribution of drinking water characterized as a highly complicated procedure as the abundance of direct and indirect variables associated with it. Since India being the upcoming country in the third word scenario, formulation of an exclusive action plan to poise the water demand with the supply would help its sustainable development. In this conventional water supply management system enormous lacunae and discrepancies can be visualized which make the system in more chaotic. The impacts of these are having exhaustive reflections in the region where the water consumption is more which is proportional to the population density. The area selected fro representing this system is the southernmost state of India, Kerala where the natural resources are having its abundance and distributed widespread. The state is having its blessing with 44 rivers as nature's gift but the alacrity in providing water in the potable form is less than 40%. In a proficient viewpoint if we examine the problem it can be distinguished that the anomaly fraught with the practical measures are mainly due to the of the negligence of the various variables under consideration which are having direct and indirect impacts on the system. In the light of this an attempt is made to ferret out the associated variables and its cross impact relationship with respect to the timely changes.

Keywords: Water Reource Management, Discrete Mathematical Modeling, Weighted Digraph Model, Pulse Process, Expert Opinion Survey, Water Quality Management, Kerala Water Authority

INTRODUCTION

The existing distribution pattern in the drinking water is baed on the conventional demand and supply work book analysis. This shows some discrepancies while the related variables are not considered properly while taking the whole system as main frame. The average consumption of water by an individual unde normal condition with the change in the new life style sceanario is 2 liters/ day. This quantity is seems to be very meger but the availability of pure water and the conventional water treatment methodologies make the process mere difficult. In a water supply system there are diverse variables those having influence in the rate of demand of water which have to be carefully and properly analyzed before arriving the rate of demand.. While taking in the case of the state of Kerala where the population density is altering rapidly beside with the living standards. Here the functional difference between the rural and urban life pattern is very scanty so that the water consumption pattern is almost analogous which necessitate equal attention. The changes in the rainfall distribution pattern and the land use pattern also make constructive changes in the water supply management .The cultural aspects which are diversified across the country make radical changes in the personal hygiene with special reference to Kerala.

Hence the water supply management procedures should consider all these aspects while formulating a comprehensive system to meet the requirements.

Discrete Mathematical Modeling can be considered as an appropriate tool for scrutinizing the dynamics of the interchangeability of the variables associated with water supply management. The significance of these parameters can be analyzed using the expert opinion survey using the Delphi method and cross impact analysis with the help of Digraph Model.

Study area

Kerala is situated between 8o 18' and 12o 48' north latitudes and 74o 52' and 77o 22' east longitudes. It encompasses 1.18 per cent of the India. It is bounded on the east by Tamil Nadu, on the west by Arabian Sea, on the north by Karnataka, on the south by Tamil Nadu. The total geographical area of the state is 38,863 sq. km. Rivers and fresh water lakes are the chief sources of supply of drinking water in the State. There are 44 rivers flowing across Kerala as 41 towards west and 3 towards east. All these rivers cater to the drinking water requirements in the State. There are a number of abstraction points in all the major rivers, which are used for supply of drinking water and industrial water supply. Karamana River is the main source of water supply to the Thiruvananthapuram City, the Nedumangad municipality and the adjoining panchayaths. The intakes for many water supply schemes including 6 rural water supply schemes exists in the upstream reach of the river. There are a number of water supply schemes including 10 rural water supply schemes in the upstream and midstream of Kallada River maintained by Kerala Water Authority. These are used for supplying water to Kundara and adjoining panchayaths. The upper stretches of Achenkovil River and its tributaries above Mavelikkara are used for rural water supply schemes maintained by Kerala Water Authority. The Pamba River, upstream of Chengannur, is used for many rural water supply schemes without conventional treatment but only disinfection and the downstream of Chengannur up to confluence with Vembanad backwaters, is used for drinking after conventional treatment. The upstream and downstream of Manimala river stretch is used for drinking without conventional treatment but after disinfection and drinking after conventional treatment after disinfection respectively.

There are 13 water supply schemes including 9 rural water supply schemes operate from Meenachil River. There are 15 water supply schemes in Muvattupuzha River out of which 8 are rural schemes. The Periyar River, upstream above Kalady and downstream of Kalady to Pathalam bund is used for drinking purpose without conventional treatment after disinfection and after conventional treatment after disinfection respectively. A number of water supply schemes exist in the upstream of Chalakudy River. The Bharathapuzha River, upstream part above Kuttippuram and downstream of Kuttippuram upto Chamravattom ferry, is used for water supply schemes. 20 water supply schemes exist in Chaliyar River and 15 are under construction or proposed. The upstream river stretch of Valapattanam River is also used for drinking purpose under water supply schemes. 70 percent of houses in Kerala lack access to drinking water in the state. The problem in Kerala is not a one-sided one, it is rather multifaceted.

MATERIALS AND METHODS

Discrete Mathematical Model

We are using the discrete mathematical model digraphs such as weighted and signed digraphs for diagrammatic representation of the interrelationship between the identified variables. With the help of the pulse process it can be the possible changes that will be encountered by the system with the changes in the time factor and fluctuations in each pulse

can be analyzed systematically. There are many constraints happened to be introduced while engaging forecasting technique and measuring the stability of the system for a particular time interval. From these constraints there is a need to find out alternative strategies which will allow to meet the constraints. If the system is a weighted digraph some of the possible changes or strategies are following.

1. Change the value of certain vertices at the specified times
2. Add at given time a new vertex (Institution) and new arcs to and from it (relations of interactions of the institutions with existing ones)
3. Change the sign of a given arc at a given time
4. Change the weight of a given arc at a given time
5. Add a new arc between existing vertices
6. Delete arc between existing vertices
7. Add a new cycle (deviation amplifying or deviation counteracting)These methods are generally used for making strategies for meeting the constraints.

Pulse process

To make somewhat deeper analysis of the weighted digraph model it is necessary to make some very specific assumptions about the effect that changes in value in one vertex have other vertices. It shall be called such assumptions change of value rules. The specific change of value rules assumed plays a rather subtle role in its relations to our conclusions. If we assume that the basic data (say for example initial values at each vertex and weights) are known only imprecisely, then the ultimate predictions based on specific change of values rule will be imprecise as well. We shall present several theorems about stability of a weighted, signed digraph under pulse process. These theorems can be applied in testing for the stability of a diagraph D reduces to asking simple questions about the Eigen-values of D. The first theorem says that we simply have to calculate the magnitudes of the Eigen- values in order to draw some interesting conclusions.

If the system is a weighted digraph some of the possible changes or strategies are following.

8. Change the value of certain vertices at the specified times
9. Add at given time a new vertex (Institution) and new arcs to and from it (relations of interactions of the institutions with existing ones)
10. Change the sign of a given arc at a given time
11. Change the weight of a given arc at a given time
12. Add a new arc between existing vertices
13. Delete arc between existing vertices
14. Add a new cycle (deviation amplifying or deviation counteracting)

These methods are generally used for making strategies for meeting the constraints.

RESULTS

In this work a humble attempt has made to describe the nature and the behavior of the water supply management in the developing tropical urban net. A mathematical is formulated for the system and with the help of this we can contemplate the dynamics of the system. As the water management is a macro frame to study the interrelationship between the variables. According to Eckstern . O 1958) It is recommended that there should be a set of parameters which are having direct and indirect relationship with in the dynamics of the water supply system. Maxwell M.H

made an attempt to list out variables which impart direct impact on any type of water supply management system.

Table 1. The major variables which play a vital role in the dynamics of the Water Supply System

Sl No	Variables	Code of Representatio
1	Population	Pp
2	Industrial Development	ID
3	Living Standard	LS
4	Rainfall	Rf
5	Urbanization	Ur
6	System of Supply	SS
7	Water Resources	WR
8	Quality of Water	WQ
9	System of Sanitation	Sa
10	Water Charge	WC
11	Water Pressure in the Distribution Pipes	WP
12	Technological Advancement	TA
13	Demand	Dm
14	Land Use	LU

The model that we have developed is a discrete mathematical model the signed and weighted digraph model and the stability of the system is analyzed under the pulse process. We have made the following observations regarding this model.

1. Both the weighted and signed digraph model for the water supply management system showed a high degree of complexity due to the presence of a number of factors which interacts through the feedback cycles

2. The signed model is pulse and value unstable and failed to find out the stabilizing factors which can be adopted in meaningful way, as far as the national policy is concerned.

3. The original weighted digraph model is both pulse and value unstable but we can perform meaningful stabilizing strategies.

On the 14 system elements, the Industrial Development (ID) and Living Standard (LS) are acting through maximum number of feedback cycles. The change affecting these vertices does not affect the stability since the number of positive and negative balance each other.

4. Looking at the important relationship affecting the stability we observed that Population (Pp) and Water Resources (WR), System of Supply (SS) and Water Resources (WR), Technology Advancement (TA) and System of Sanitation (Sa) , System of Supply (SS) and Water Pressure(WP), etc .are significant. Changing the interrelationship between the variables from the conventional pattern may mitigate or efface characteristics changes in the water supply management systems.

5. The cumulative effects of

a. The Population (Pp) with Water Resources (WR), Quality of Water (WQ), Water

Pressure in the Distribution Pipe (WP)

b. Apply with the Water Resources (WR), Water Pressure in the Distribution Pipe (WP) and the Water Charge (WC)

c. Urbanization(Ur) with System of Sanitation (Sa) and Water Charge (WC) Water Resources (WR) with Urbanization(Ur), Water Pressure in the Distribution Pipe (WP)

d. Technology Advancement (TA) with Urbanization (Ur), System of Sanitation (Sa), Water Charge (WC)

e. System of Sanitation (Sa) with Water Resources (WR) and Water Charge (WC)

f. Demand (Dm) with Water Resources (WR) and Quality of Water (WQ) and Water Charge (WC)

6. Apart from other analysis conducted by measuring the influence of these variables among the other variables, as we have seen that the population with water resources, technology with the system sanitation supply with water pressure in the distribution pipe demand and water resources, demand with quality of water and the demand with the charge are the variables that should be concentrated on policy formulations.

Digraph 1
Unit pulse on population, Water Quality & Water Pressure

Digraph 2
Unit pulse on Urbanization, Sanitation & Watr Charge & Water Pressure



Digraph 3
Unit pulse on Urbanization, Sanitation Water Resources & Water Pressure



Digraph 4
Unit pulse on Technology, Urbanization Water Resorces & Water Charge





Digraph 5
Unit pulse on Demand, Water Resources & Water Quality





DISCUSSION

1. The emerging policy implications are water conservation must be given utmost important in high density state like Kerala. Activities like land reclamation should be badly affect the water resources must be discouraged

2. Besides the conservation of water resources, water quality management also must be given utmost importance

3. For the system of sanitation optimization strategies should be one of the major focal point of the policy formulations the technological advancements acts as catalyzing agent for sanitation activities. Hence standard norms should be providing along with the awareness campaign for the system of sanitation regarding its operations and management.

4. Water charge is also important regulatory factor in water supply management system. Hence a pragmatic approach should be incorporated with the assessment of water charge, hence any change in the conventional pattern of water pricing should be observed in accordance with the developing context.

5. With urbanization and increased water demand the pressure heads in the distribution pipes decreases significantly at peak time while it is high during the other times. This necessitates adoption of better technology for instance using high quality pipes of sufficient diameter. The augmentation scheme should be favored to balance the supply and water pressure for that a detailed assessment should be conducted in the field of supply network to identify the areas where the water pressure and the supply are demonstrating lack of alacrity.

CONCLUSION

As we know that the realm of water supply management is so vast and directly or indirectly it is related to the every variable acting on the environment (a detailed and in depth assessment is almost impossible t execute). Identifications, characterization, representation and analysis is a herculean task in the macro framework. Hence an attempt of representing this macro level exercise in a concise form so as to incorporate all the parameters their inter relationship, behavior and trend analysis definitely a good attempt. The weighted and signed digraph model is an apt tool having the facility to represent the system variables and its stability degree interrelationships and more over the significance of these in the system. A weighted digraph model will help us to assess the weightages of impacts and signed digraph will help to specify the nature of the impact. The pulse

process will help us to examine the value stability and pulse stability of the water management system and provide us suitable strategies to implement for making the system less unstable.

ACKNOWLEDGEMENT

Expressing deep hearted acknowledgement tot the experts working in this fired for their valuable opinions and suggestions regarding the selection an analysis did of variable with respect to the water supply management system.

REFERENCES

1. Anderson, C. R., and Paine, F. T. (1975). Manageria1 perceptions and strategic behavior. Academy of Management Journal 18: pp. 811-823

2. Ashok Kumar C.(1996), Development Alternatives Indian Statistical Institute, on“Water and Population Dynamics in

a Rural Area of Tumkur District, Karnataka State"

3. Beven, K.J. and Feyen, J.(2001). Preface to Special Issue on The Future of Distributed Modelling, Hydrol. Process., 15, in press. pp. 160-191

4. Burrough P.A. (1986) The Principles of Geographic Information System for Land Resources Assessments, Oxford University Press Newyork.

5. Chaffee, E. E. (1985). The concept of strategy: From business to higher education. In J. C. Smart (ed)., Handbook of Theory and Research in Higher Education New York: Agathon Press. pp. 133-172

6. Coates, J. F. (1985). Scenarios part two: alternative futures. In J. C. Mendell (ed.), Nonextrapolative Methods in Business Forecasting (pp. 21-46) Westport, CT: Quorum Books. pp. 102-195

7. Disrud, Lowell A. & Yoon J (1997) "Field and Watershed Scale Water Quality Management." Final Report to the U.S.01.Department of the Interior,Bureau of Reclamation. September 1997. pp. 18-110

8. Economic Review (2003, 2004, 2005). Thiruvananthapuram: State Planning Board, Government of Kerala

9. Gordon,T.J and Enzer, S.(1970). Research on Cross-Impact Techniques with Applications to Selected Problems in Economics, Political Science and Technology Assessment. Report R-12. Menlo Park, CA: Institute for the Future, August. pp.317-430

10. Gordon, T. J. (1977). The nature of unforeseen developments. In W. 1. Boucher (ed.), The Study of the Future. Washington, DC: U.S. Government Printing Office. pp. 42-43

11. Hack J.T. (1957) Submerged River System of Chesapeake Bay, Goelogical society of America Bulletin 68: pp. 817-830

12. Horton Robert E. " American Geophysical Union, Washington, DC. Published in the year 2005 pp. 64-115

13. Jenson J.R. & Christensen (1985) Solid and Hazardous waste disposal site selection using Digital GIS, Science of Total Environment" 56-265-276

14. Lal, M. (2001) Climate change – Implications for India's water resources. J.India Water Res. Soc., 2001, 21, pp. 101-119

15. Laurini R. & Thompson D. (1992) " The fundamentals of Spatial Information systems. The APIC Series, No 37, Academic Press London pp. 35-158

16. Morrison J. L et al (1984). Futures Research and the Strategic Planning Process: Implications for Higher education. ASHE-ERIC Higher Education Research Report. No. 9, 1984. Washington, DC: Association of the Study of Higher Education pp. 18-115.

17.Nagler P.L et al.(2006)"Relationship between evapo-transpiration and precipitation pulses in a semiarid range land estimated by moisture flux towers and MODIS vegetation indices", United States Geological Survey, University of Arizona, USA pp. 110-148.

18. Richardson, G.P., Pugh, A.L., (1989). Introduction to System Dynamics Modeling, Pegasus Communications, Inc, Waltham, MA, pp. 60-118.

19. Srinivasan, R., Arnold, J.G., (1994). Integration of a basin scale water quality model with GIS. Water Resources Bulletin 3(3), pp. 453-462.

20. Strahler, (1964); Scheidegger, (1970), Non linear Mathematical Slope Models. Penguin publishers, New South Wales pp. 78-135.

21. Soman, K and Chattopadhyay, M.,(2004). Water resource potential and catchment conservation plan for the freshwater lake and natural resources management. pp. 297-312.

22. Thrupp L. (1993) Political ecology of sustainable rural development: Dynamics of social and natural degradation. In Allen P. (ed). Food for the future. Conditions and contradictions of sustainability. John Wiley and Sons Inc. New York. pp. 80-176

***